Index

A

ab initio design, 376, 379 absorbing boundary condition (ABC), 162, 268 Airy–Gauss beam, 315 aluminum layer, 342 Ampere's law, 294 analytic Green's function, 229 anisotropic medium, 388 anomalous dispersion, 322 arrow of time, 43 associated Legendre polynomials, 360

B

backward finite difference (BFD), 36 backward-wave equation, 163 Bessel beam, 314 Bessel equation, 299 Bessel function, 299 Bessel recursion, upward, 33 bifurcation, 42 bilayer WGP, 382–383 blue filter, 372 boundary conditions, 196 Brownian motion, 52

С

Cauchy's integral theorem, 255 causality, 252 central finite difference (CFD), 20 central nonstandard FD, 39

chaos. 42 characteristic matrix, 342, 378, 388 classical Doppler shift, 124 cobweb graph, 35 collision frequency, 323 complete orthonormal set, 91 complex frequency, 106 complex permittivity, 249 complex refractive index, 107, 319 complex wavenumber, 107, 151 computational boundary, 268 computational noise, 147 conduction current, 246 constitutive relations, 251 constrained optimization, 390 continuity equation, 244 continuous-wave multifrequency, 179 convolution theorem, 251, 259 Courant-Friedrich-Levy (CFL), 233

D

damped harmonic oscillator, 73 damped wave equation with a source, 111 decay equation, 35 deformation sensor, 317 delta function, 89 delta function derivative, 90 devil in the DFT, 178, 181 dielectric cylinder, 225 diffusion equation, 47 dimensionality and intensity falloff, 205 discrete Green's function (DGF), 79, 94, 188, 227 discrete Green's function solutions, 230 dispersive medium, 257 divergence theorem, 244 double-step standard central FD approximation, 75 Drude dispersion, 324 Drude model, 323 Drude–Lorentz, 322

Е

effective index of refraction, 145, 180-181, 380 effective medium, 378 eigenfrequencies, 102 eigenfunctions, 102 electric and magnetic field layout, 264, 267 electromagnetic boundary conditions, 250 electromagnetic field layout, 284, 290 elliptical cross-sections, 361 Engquist-Majda, 211 error of nonstandard FDTD, 199 error of standard FDTD, 197 evanescent coupling, 317 exact ABC, 164 exact nonstandard ABC, 167 exact NS-FD model, 174 expansion of the derivative, 20 extinction cross-section, 336 extinction efficiency, 342 extinction spectra, 356, 359

F

filters, 371 finite speed of light, 148 first-order accuracy, 164 forced damped harmonic oscillator, 73, 76 forward finite difference (FFD), 19 forward-wave equation, 163 four-momentum, 131 Fourier sum, 102 Fourier transform, 251 fourth-order FD, 4, 69 fourth-order FD model, 83 fourth-order FDTD, 70–71 fractal, 54 frequency domain permittivity, 253 fuzzy inclusion function, 221 fuzzy model, 221, 223–224 fuzzy representation, 293

G

Galilean transformation, 122 gallium arsenide, 382 gamma function, 24 Gaussian beam, 313 Gaussian turn-on function, 111 general Laplacian FD expression, 10 general NS-FD, 5 general solution, 1D wave equation, 97 genetic algorithm, 324 geometry of space-time, 148 grating, 364 Green's function, 73, 87 Green's function for the wave equation, 109

H

Hankel functions, 299 harmonic point source, 109, 273 Helmholtz equation, 91, 298 Hermitian matrix, 346

I

index of refraction, 103 inner product, 90

insulator layer, 369 inverse Fourier transform, 253 inverse Z transform, 95

K

kinetic energy density of a wave, 120 Kramers–Kronig relations, 253

L

Laplace equation, 45 Laplacian, 6, 9, 10, 13, 15, 16, 18, 298, 401 Lie generator, 19 linear media, 245 liquid crystal display (LCD), 376 localized surface plasmon resonance (LSPR), 351 logistic equation, 41 Lorentz invariant, 131 Lorentz model, 319 Lorentz transformation, 126 LSPR tuning, 360

Μ

magnetic charge, 244 magnetic monopoles, 244 magnetic permeability, 273 Malthus, 40 Maxwell's equations, 241 metal-insulator-metal, 353, 363-364 metal layers, 365 metal nanoparticles, 351 metal nanostructures, 351 metals, 249, 257 metamaterials, 262 Mie expansion coefficients, 307 Mie regime, 225 Mie theory, 225, 296 Minkowski space, 130 monochromatic recursive convolution (MRC) FDTD, 323 monochromatic solutions, 100 multilayer WGPs, 378 Mur ABC, 213

Ν

nanocylinders, 359 nanowire pair, 358 Neumann function, 299 non-Hermitian matrix, 346 nonconducting medium, 246 nondispersive medium, 257 noninteger-order derivatives, 62 nonlinear equations, 41 nonlinear optics, 44 nonstandard FDTD spectrum calculation. 179 nonstandard FDTD stability, 233 nonstandard FDTD with a turn-on function, 155 nonstandard finite difference (NS-FD) model, 145 nonstandard finite difference (NS-FD), 5, 150 nonstandard intensity calculation, 168 nonstandard Mur ABC, 217-218, 220 nonstandard source, 177 nonstandard Yee algorithm, 269 nonstandard Yee model, 269 nontransparent materials, 319 normal dispersion, 322 numerical stability, 146 numerical stability for **NS-FDTD**, 200 Nyquist limit, 146, 198

0

objects on the grid, 220 Occam's razor, 29 one-way wave equation, 162

Р

parallel relaxation, 49, 57 partial fraction expansion, 95 perfect absorbing boundary, 176 perfectly matched layer (PML), 220 period doubling, 42 periodic computational boundary, 162, 268 phase velocity, 100 photonic crystal, 313 plasma frequency, 323 plastic films, 387 point source in three dimensions, 204 point source in two dimensions, 203 Poisson's equation, 45 potential energy density of a wave, 120 Poynting vector, 335 precursor, 147 precursor signal, 192 precursor waves, 167 pressure sensor, 317

Q

quantum computing, 317

R

random walk model, 52 recursive convolution, 322 recursive convolution algorithm, 333 recursive convolution (RC) FDTD, 323 reflecting computational boundary, 159, 268 reflection coefficient, 381 relaxation algorithm, 46 resonance, 306 round-off error, 32

S

scattered field in NS-FDTD, 210 scattered-field wave equation, 206

scattering cross-section, 335 scattering efficiency, 342 second-order accuracy, 165 second-order standard FD, 142 separation of variables, 101 serial relaxation, 50, 57 sgn function, 94 silicon, 382 silver layer, 342 silver nanocylinders, 354-356 small ellipsoids, 360 source amplitudes in S- and **NS-FDTD**, 175 source current, 246 source of the scattered field, 210 stability of the NS-Mur ABC, 240 stability of the S-Mur ABC in three dimensions, 239 stability of the S-Mur ABC in two dimensions, 238 staircase model, 221, 224 standard model of the scattered field. 207 standard Mur ABC, 213, 218, 220 standard Yee algorithm, 264 standard Yee model, 263 step function, 92 stochastic algorithm, 52 stochastic difference equation, 53 Stokes theorem, 294

T

TE polarization, 288 TE resonances, 307 thin film layers, 380 thin film, 342 time reversal, 158 TM polarization, 284 TM resonances, 308 transient devils, 154 transparent dielectric, 322 truncation error, 32

U

unconditional instability, 38, 85 unconditional stability, 34 uniform magnetic permeability, 292 unit system, 245 unstable algorithm, 32

V

vector identities, 246 Verhulst model, 41

W

wave equation Green's function in three dimensions, 202

wave equation Green's function in two dimensions, 202
wave equation with a source, 108, 152
wavelength separator, 317
wavelength-selective polarizing reflector (WSPR), 392–393, 388
whispering gallery mode, 278, 380
wire-grid polarizers, 376

Y

Yee algorithm, 260

Ζ

Z transform, 95



James B. Cole has a B.S. in Physics from the Illinois Institute of Technology and an M.S. in Information Engineering from the University of Illinois-Chicago, where he developed an interest in optics. He finished his Ph.D. in high-energy particle physics at the University of Maryland. His career has thus been broadly interdisciplinary but focused mainly on numerical modeling and simulation in the field of optics and photonics. His specialty is the development of high-precision

algorithms with low computational cost. During post-doctoral research at the NASA Goddard Space Flight Center, James began his career in numerical simulation by computing the expected observable flux of antiprotons in cosmic rays. He was subsequently a research physicist at the US Army Research Laboratory, and later the US Naval Research Laboratory, where he developed high-accuracy algorithms on parallel supercomputers to compute wave propagation. He was a visiting professor at the Nippon Telegraph and Telephone Corp. Basic Research Laboratory (Japan), where he taught a class on Lie group theory and developed mathematical models of visual processing and pattern recognition. Later, he was a visiting scientist at the Japanese Physical Chemical Research Institute (RIKEN). James has been a professor at the University of Tsukuba (Japan), where he initiated and guided numerous research projects in computational photonics and taught classes in numerical computation and modeling. He is now a visiting professor at the US Army Research Laboratory and works on computational projects to design advanced optical instruments and devices.



Saswatee Banerjee is a Senior Optical Scientist and has been working for corporate research and development in Japan for the last 11 years. She is a member SPIE and a senior member of the Optical Society of America (OSA). She received Ph.D. degrees in Applied Physics with specialization in Optics from both the University of Calcutta, India and the University of Tsukuba, Japan in 2001 and 2005, respectively. In India she was awarded Junior and Senior Research Fellowships by the

University Grants Commission (UGC) and Council of Scientific and Industrial Research (CSIR). In Japan she was awarded a Science and Technology Scholarship by the Ministry of Education, Culture, and Sports. Her research interest is in design and simulation of optical devices that incorporate subwavelength-scale modulation. She has pioneered important advances in high-precision photonics computation and holds numerous patents in the field of optical technology. Dr. Banerjee is the author of numerous peer-reviewed scientific papers and has co-authored three book chapters.