

PROCEEDINGS OF SPIE

Fiber Lasers XXI: Technology and Systems

Clémence Jollivet
Editors

29 January – 1 February 2024
San Francisco, California, United States

Sponsored by
SPIE

Co-sponsored by
NKT Photonics A/S (Denmark)

Published by
SPIE

Volume 12865

Proceedings of SPIE 0277-786X, V. 12865

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Fiber Lasers XXI: Technology and Systems, edited by Clémence Jollivet,
Proc. of SPIE Vol. 12865, 1286501 · © 2024 SPIE
0277-786X · doi: 10.1117/12.3029976

Proc. of SPIE Vol. 12865 1286501-1

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:
Author(s), "Title of Paper," in *Fiber Lasers XXI: Technology and Systems*, edited by Clémence Jollivet, Proc. of SPIE 12865, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X
ISSN: 1996-756X (electronic)

ISBN: 9781510669895
ISBN: 9781510669901 (electronic)

Published by
SPIE
P.O. Box 10, Bellingham, Washington 98227-0010 USA
Telephone +1 360 676 3290 (Pacific Time)
SPIE.org
Copyright © 2024 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE. DIGITAL LIBRARY
SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

ix *Conference Committee*

HIGH POWER FIBER LASER I

- 12865 02 **Transverse mode instability thresholds in fiber laser oscillators** [12865-2]
- 12865 03 **Investigation of transverse mode instability threshold on the modal contents of the seed light in fiber amplifiers** [12865-3]
- 12865 04 **Mitigation of transverse mode instability by polarization rotation in high-power PM fiber amplifiers** [12865-4]

HIGH ENERGY FIBER LASER I

- 12865 05 **Extraction of 100-mJ level pulse energy at high repetition rates by a ns-class, 49-core fiber laser (Invited Paper)** [12865-5]
- 12865 06 **A monolithic linearly polarized counter-pumped 85 μm core rod fiber amplifier architecture for high-energy pulsed applications** [12865-6]
- 12865 07 **Single-frequency erbium-doped fiber amplifier with high energy gain at low repetition rates** [12865-7]

NOVEL LASER SOURCES

- 12865 08 **Investigation into the origin of the RF phase noise for the LISA laser transmitter** [12865-10]
- 12865 09 **Efficient 1018nm high power fiber laser using intracavity tilted FBG ASE filters** [12865-13]

BEAM CONTROL OF HIGH POWER FIBER LASER

- 12865 0A **Dynamic beam control of fiber lasers drives innovation in laser material processing for the EV industry (Invited Paper)** [12865-18]
- 12865 0B **Multispot fiber lasers for material processing applications** [12865-19]
- 12865 0C **Near-field beam shaping in high-power single-frequency pulsed Er/Yb co-doped multimode fiber amplifier by seed wavefront modulation** [12865-21]

NARROW LINEWIDTH FIBER LASER

- 12865 OD **5.2 kW single-mode output power from a Yb 20/400 fiber with reduced thermo-optic coefficient** [12865-23]
- 12865 OE **Spectrally efficient SBS suppression via seed laser current modulation** [12865-27]

HIGH POWER FIBER LASER II

- 12865 OF **Temperature-dependent fluorescence and site-selective excitation studies of ytterbium doped silica (Invited Paper)** [12865-28]
- 12865 OG **High-precision adjustment of the refractive index in high-power laser fibers** [12865-29]
- 12865 OH **Revising power scaling limits of diffraction-limited fiber amplifiers** [12865-30]
- 12865 OI **Polarization instability in high power fiber amplifiers** [12865-31]

MODE-LOCKED FIBER LASER

- 12865 OJ **L-band wavelength-tunable fiber laser mode-locked by all polarization-maintaining nonlinear polarization rotation** [12865-33]
- 12865 OK **Compact high-spectral purity frequency combs for Strontium quantum clock** [12865-34]
- 12865 OL **Sub-20-attosecond timing jitter from a mode-locked 200-MHz All-PM Er:NALM fiber laser (Best Student Presentation Award)** [12865-35]

FREQUENCY CONVERSION

- 12865 OM **All-spliced 11.3 W four-wave mixing fiber source at 760 nm** [12865-36]
- 12865 ON **Linewidth control of cascaded Raman fiber lasers and visible conversion** [12865-37]
- 12865 OO **Low intensity noise continuous wave supercontinuum generation in standard telecom fiber** [12865-38]
- 12865 OP **Enhancement of four-wave mixing via stimulated emission in a Yb-doped photonic crystal fiber** [12865-39]
- 12865 OQ **Raman shifting in gas filled hollow core fiber amplifiers** [12865-40]

2 MICRONS FIBER LASER

- 12865 OR **Latest advances on 2 μm fiber lasers and fibered components for all-fibered architectures (Invited Paper)** [12865-41]
- 12865 OS **Spectral beam combining of kW-class thulium-doped fiber lasers** [12865-42]
- 12865 OT **Highly efficient, in-band pumped, thulium-doped, Q-switched fiber laser** [12865-44]
- 12865 OU **Novel single-clad Ho-doped fiber amplifier with high slope efficiency and low ion pairing** [12865-45]

MID-IR FIBER LASER

- 12865 OV **High performance 1.55 μm fiber laser for autonomous driving lidars** [12865-70]
- 12865 OW **Highly efficient, ultra-broadband mid infrared generation driven by a Tm-doped fiber laser system** [12865-46]
- 12865 OX **High-efficiency, low-threshold mid-infrared Er-doped fiber lasers based on optimized pump wavelength in 1.6-1.7 μm** [12865-47]
- 12865 OY **Over 200 mW gain-switched Er-doped ZBALN fiber laser at 3750 nm** [12865-48]

MULTICORE FIBER LASER

- 12865 OZ **Polarization-maintaining, ytterbium-doped, rod-type, multicore fiber** [12865-51]
- 12865 10 **NA-dependent absorption in double clad multicore amplifier fibers** [12865-52]
- 12865 11 **Incoherent combination of high-power, multicore fiber laser systems** [12865-53]

NOVEL OPTICAL FIBER

- 12865 12 **Dual-wavelength fiber lasers based on active fibers with structured cores (Invited Paper)** [12865-54]
- 12865 13 **High-power single-frequency depressed-cladding, confined-doping Yb³⁺ fiber amplifier** [12865-55]

- 12865 14 **High gain and output power from a novel 17/125 – 56/400 PM Yb-doped tapered double-clad fiber** [12865-56]
- 12865 15 **Splice optimisation between dissimilar fibres in the presence of dopant diffusion** [12865-59]

HIGH ENERGY FIBER LASER II

- 12865 16 **2mJ pulse energy, 420kW peak power, all-fiber amplifier with diffraction-limited beam quality (Invited Paper)** [12865-60]
- 12865 17 **High-pulse-energy actively Q-switched Tm³⁺-doped photonic crystal fiber laser operating at 2050 nm with narrow linewidth** [12865-61]

POSTER SESSION

- 12865 18 **Toward a holmium doped multimode fiber amplifier with high quality focused output using wavefront-shaping** [12865-62]
- 12865 19 **2 μm simple tunable fiber laser source for optimizing pumping of 3.5 μm dual-wavelength pumping systems and material absorption characterization** [12865-65]
- 12865 1A **Tm-fiber laser resonantly pumped by 1.7 μm laser diode** [12865-66]
- 12865 1B **Full-emission-spectrum employment of Tm-doped fiber laser for noise-like pulse operation** [12865-67]
- 12865 1C **ASE sources as pumps for 2-μm fiber amplifiers, lasers, and ultra-broad ASE sources** [12865-69]
- 12865 1D **Temperature investigation of a multiwatt thulium-doped fiber laser** [12865-75]
- 12865 1E **PM 56/400 Yb tapered fiber monolithic amplifier in a pulsed MOPA configuration for high energy/power applications** [12865-77]
- 12865 1F **Electro-optic frequency comb generation of 8-GHz repetition-rate and few-picosecond pulse duration at 1-um** [12865-78]
- 12865 1G **1610-nm single-frequency Er-doped fiber laser based on compound cavity structure** [12865-79]
- 12865 1H **Using the state of a physically constrained machine learning model trained on the output intensity images to reconstruct the eigenmodes of an optical fiber** [12865-80]
- 12865 1I **Thulium-doped high-power fiber amplifier for <500 ps directly gain-switched seed diodes** [12865-82]
- 12865 1J **Narrow-linewidth and low-noise holmium-doped fiber amplifier at 2095 nm with compact packaging** [12865-83]

- 12865 1K **LMA fibers with tailored acoustic guiding properties for the mitigation of stimulated Brillouin scattering** [12865-84]
- 12865 1L **Narrow-linewidth single-stage fiber amplifier with an output power of 15 W at 1064 nm** [12865-85]
- 12865 1M **550 W picoseconds pulsed compact laser system based on a Yb-doped spun tapered double-clad fiber** [12865-93]

DIGITAL POSTER SESSION

- 12865 1N **Spatio-spectral effects in coupled multicore all-fiber lasers with FBG arrays (Invited Paper)** [12865-50]
- 12865 1O **Spatiotemporal dynamics of solitons in rare-earth doped fiber gain media** [12865-90]

Conference Committee

Symposium Chairs

Stefan Kaierle, Laser Zentrum Hannover e.V. (Germany)
John Ballato, Clemson University (United States)

Symposium Co-chairs

Vassilia Zorba, Lawrence Berkeley National Laboratory
(United States)
Kaoru Minoshima, University of Electro-Communications (Japan)

Program Track Chairs

Akihiko Kasukawa, Furukawa Electric Company (Japan)
Stuart D. Jackson, Macquarie University (Australia)

Conference Chair

Clémence Jollivet, Coherent (United States)

Conference Co-chair

Thomas Schreiber, Fraunhofer-Institut für Angewandte Optik und
Feinmechanik IOF (Germany)

Conference Program Committee

Adrian L. Carter, Coherent | Nufern (Australia)
Fabio Di Teodoro, Raytheon Company (United States)
Mark Dubinskii, DEVCOM Army Research Laboratory (United States)
Heike Ebendorff-Heidepriem, The University of Adelaide (Australia)
Angel Flores, Air Force Research Laboratory (United States)
Gregory D. Goodno, Northrop Grumman Corporation (United States)
Ingmar Hartl, Deutsches Elektronen-Synchrotron (Germany)
Thomas W. Hawkins, Clemson University (United States)
Clifford Headley III, Leonardo Electronics US, Inc. (United States)
Stuart D. Jackson, Macquarie University (Australia)
César Jáuregui-Misas, Friedrich-Schiller-Univ. Jena (Germany)
Manoj Kanskar, nLIGHT, Inc. (United States)
Martin Dybendal Maack, NKT Photonics A/S (Denmark)
Peter F. Moulton, MIT Lincoln Laboratory (United States)
Martin H. Muendel, Lumentum (United States)
Jeffrey W. Nicholson, OFS Fitel, LLC (United States)

Philippe Roy, XLIM (France)
Bryce N. Samson, IPG Photonics Corporation (United States)
Matthias Savage-Leuchs, Lockheed Martin Aculight Corporation
(United States)
Benedikt Schuhbauer, Laser Zentrum Hannover e.V. (Germany)
Lawrence Shah, Luminar Technologies, Inc. (United States)
L. Brandon Shaw, U.S. Naval Research Laboratory (United States)
Wei Shi, Tianjin University (China)
Paul Steinvurzel, The Aerospace Corporation (United States)
V. R. Supradeepa, Center for Nano Science and Engineering
(CeNSE) (India)
Ziyao Wang, Friedrich-Schiller-Univ. Jena (Germany)
Michalis N. Zervas, Optoelectronics Research Center
(United Kingdom)