

PROCEEDINGS OF SPIE

Passive Components and Fiber-based Devices IV

Ming-Jun Li
Jianping Chen
Satoki Kawanishi
Ian H. White
Editors

2–5 November 2007
Wuhan, China

Sponsored by
SPIE
COS—Chinese Optical Society (China)
CIC—China Institute of Communications (China)
The People's Government of Wuhan Municipality (China)

Cooperating Organizations
WNLO—Wuhan National Laboratory for Optoelectronics (China)
The Productivity Promotion Center of Wuhan East Lake Hi-Tech Development Zone (China)
Wuhan Research Institute of Posts and Telecommunications (China)
The State Optoelectronic and Information Industry Base of China (China)

Published by
SPIE

Volume 6781

Part One of Two Parts

Proceedings of SPIE, 0277-786X, v. 6781

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Passive Components and Fiber-based Devices IV*, edited by Ming-Jun Li, Jianping Chen, Satoshi Kawanishi, Ian H. White, Proceedings of SPIE Vol. 6781 (SPIE, Bellingham, WA, 2007) Article CID Number.

ISSN 0277-786X
ISBN 9780819469441

Published by
SPIE
P.O. Box 10, Bellingham, Washington 98227-0010 USA
Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445
SPIE.org

Copyright © 2007, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/07/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



SPIEDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

Part One

xix Conference Committee

NONLINEAR OPTICAL DEVICES

- 6781 03 **Experimental demonstration of widely tunable wavelength conversion between ps-pulses based on four-wave mixing in cascaded highly nonlinear fiber** [6781-02]
H. Cao, Foshan Univ. (China); J. Sun, Wuhan National Lab. for Optoelectronics (China);
W. Chen, Foshan Univ. (China); D. Huang, Wuhan National Lab. for Optoelectronics (China)
- 6781 04 **Improvement of four wave mixing efficiency in DSF by clock pumping** [6781-03]
A. Yang, Beijing Institute of Technology (China); Y. Qiao, Beijing Univ. of Posts and
Telecommunications (China); Y. Sun, Beijing Institute of Technology (China)
- 6781 05 **Supercontinuum generation in optical fibers (Invited Paper)** [6781-04]
S. Li, A. B. Ruffin, D. V. Kuksenkov, M.-J. Li, D. A. Nolan, Corning Inc. (USA)

FIBER SENSORS I

- 6781 06 **Minute stress pressure fiber sensor based on clock recovery technology** [6781-10]
H. Chen, D. Tao, X. Ma, Yangtze Univ. (China)
- 6781 07 **A fiber-optic hydrophone with a cylindrical Helmholtz resonator** [6781-11]
Z. Wang, Y. Hu, M. Ni, Z. Meng, H. Luo, National Univ. of Defense Technology (China)
- 6781 08 **A dissolved oxygen sensor based on ruthenium fluorescence and u-shaped plastic optical fiber** [6781-12]
F. Chu, H. Cai, R. Qu, Z. Fang, Shanghai Institute of Optics and Fine Mechanics (China)
- 6781 09 **Application of high birefringence fiber Sagnac loop mirror in temperature sensing** [6781-13]
B. Liu, J.-H. Luo, G.-Y. Kai, S. Yuan, Nankai Univ. (China)
- 6781 0B **Novel force sensor based on a high-birefringence fiber loop mirror and a freely supported beam** [6781-15]
S. Li, Nankai Univ. (China) and Tianjin Polytechnic Univ. (China); Q. Zhao, D. Bo, T. Liao,
Y. Miao, X. Zeng, Nankai Univ. (China)
- 6781 0C **Effect of wavelength shift of light source in the fiber coupler evanescent wave temperature sensor system** [6781-16]
M. Wang, F. Pang, T. Wang, Shanghai Univ. (China)

HIGH POWER FIBER LASERS

- 6781 0E **Bend distortion in large-mode-area amplifier fiber design (Invited Paper)** [6781-06]
J. M. Fini, OFS Labs. (USA)
- 6781 0G **The effects of co-doping GeO_2 and Al^{3+} on ytterbium-doped silica-based fiber** [6781-08]
L. Wang, F. Yan, Y. Fu, Y. Li, T. Gong, P. Liu, S. Jian, Beijing Jiaotong Univ. (China)
- 6781 0H **Suppressing nonlinear effects for power scaling of high power fiber lasers (Invited Paper)**
[6781-09]
A. Liu, X. Chen, M.-J. Li, J. Wang, D. T. Walton, L. A. Zenteno, Corning Inc. (USA)

FIBER AND WAVEGUIDE GRATINGS

- 6781 0I **The novel fiber devices with laser machining technique (Invited Paper)** [6781-17]
W. Shin, Gwangju Institute of Science and Technology (South Korea)
- 6781 0J **Influence of the facet reflection on the bistable performance of the $\lambda/4$ phase-shifted grating** [6781-18]
J. Chen, G. Xia, C. Hu, X. Tang, Z. Wu, Southwest Univ. (China)
- 6781 0K **Analysis for transmission characteristics of multi-cavity fiber Fabry-Perot filters based on fiber Bragg gratings** [6781-19]
O. Xu, S. Lu, S. Feng, X. Dong, S. Jian, Beijing Jiaotong Univ. (China)
- 6781 0L **Special long-period fiber grating devices (Invited Paper)** [6781-20]
Y. J. Rao, Univ. of Electronic Science and Technology of China (China) and Chongqing Univ. (China); T. Zhu, Chongqing Univ. (China)
- 6781 0M **Fiber Bragg grating as optical filter in laser inter-satellites communication** [6781-21]
X. Zou, C. Wen, Y. Li, PLA Univ. of Science and Technology (China); L. Zhou, Wuhan Commanding Communication Academy Information Campaign Lab. (China)
- 6781 0N **A novel complex long-period-grating-assisted coupler** [6781-22]
X. Dong, L. Pei, S. Lu, S. Feng, O. Xu, R. Zhao, Beijing Jiaotong Univ. (China)

BEST STUDENT PAPER SESSION

- 6781 0O **Novel design of M-profile ytterbium doped fibers for high power fiber lasers** [6781-23]
J. Li, X. Mao, L. Wang, J. Peng, L. Liu, H. Wei, Y. Fu, T. Ning, S. Jian, Beijing Jiaotong Univ. (China)
- 6781 0P **Design of highly nonlinear photonic crystal fibers with flattened dispersion over S+C+L wavelength bands** [6781-24]
H. Fang, S. Lou, T. Guo, L. Yao, H. Li, S. Jian, Beijing Jiaotong Univ. (China)
- 6781 0Q **Modal noise investigation in multimode polymer waveguides** [6781-25]
J. Beals IV, N. Bamiadakis, R. V. Penty, I. H. White, Univ. of Cambridge (United Kingdom); J. V. DeGroot, Jr., T. V. Clapp, Dow Corning Corp. (USA)

- 6781 OR **Simulation and analysis of fiber Bragg grating-based Q-switched fiber laser with sidelobes' influence consideration (Best Student Paper Award) [6781-26]**
X. P. Cheng, P. Shum, M. Tang, Nanyang Technological Univ. (Singapore); J. Zhang, Institute of Microelectronics (Singapore)
- 6781 OS **Submicron-diameter silica taper with a Bragg multilayer structure: observation for TE₀₁ and HE₁₁ mode guidance [6781-27]**
L. Ma, Y. Matsuzura, Tohoku Univ. (Japan)
- 6781 OT **Dual-wavelength packets buffering in DLOB based on SOA [6781-28]**
C. Tian, C. Wu, P. Peng, Z. Li, Beijing Jiaotong Univ. (China); N. Guo, Nanyang Technological Univ. (Singapore)

RAMAN AMPLIFIERS

- 6781 OU **Noise in distributed Raman amplification (Invited Paper) [6781-40]**
P. Gallion, Ecole Nationale Supérieure des Télécommunications, GET, Télécom Paris, CNRS, LTCI (France); J. Zhou, Ecole Nationale Supérieure des Télécommunications, GET, Télécom Paris, CNRS, LTCI (France) and Shanghai Jiao Tong Univ. (China); S. Jiang, Ecole Nationale Supérieure des Télécommunications, GET, Télécom Paris, CNRS, LTCI (France); J. Chen, Shanghai Jiao Tong Univ. (China); Y. Jaouën, Ecole Nationale Supérieure des Télécommunications, GET, Télécom Paris, CNRS, LTCI (France)
- 6781 OV **Gain flatness performance of backward-pumped distributed fiber Raman amplifiers with pump wavelengths in different arrangement [6781-41]**
J. Li, X. Mao, J. Peng, L. Liu, H. Wei, T. Ning, Z. Tong, S. Jian, Beijing Jiaotong Univ. (China)
- 6781 OW **Applications of dispersion compensating Raman amplifiers (Invited Paper) [6781-42]**
R. Kjær, Technical Univ. of Denmark (Denmark); B. Palsdottir, OFS Fitel Denmark ApS (Denmark); L. K. Oxenløwe, P. Jeppesen, Technical Univ. of Denmark (Denmark)
- 6781 OX **Parameters optimization of a high efficiency discrete Raman fiber amplifier [6781-43]**
L. Dou, Peking Univ. (China); S.-K. Liaw, National Taiwan Univ. of Science and Technology (Taiwan China); M. Li, Peking Univ. (China); Y.-T. Lin, National Taiwan Univ. of Science and Technology (Taiwan China); A. Xu, Peking Univ. (China)

MICROSTRUCTURED FIBERS

- 6781 OZ **An investigation of design, fabrication, and measurement for photonic crystal fibers [6781-30]**
W. Tong, H. Wei, J. Luo, Q. Han, H. Wang, R. Matai, Yangtze Optical Fibre and Cable Co., Ltd. (China)
- 6781 10 **Fabrication and characteristics of highly birefringent polymer photonic crystal fiber [6781-31]**
Y. Zhang, Baoji College of Arts and Science (China) and Xi'an Institute of Optics and Precision Mechanics (China)
- 6781 11 **Two accesses to achieve air-core's selective filling of a photonic bandgap fiber [6781-32]**
J. Du, Y. Liu, Z. Wang, Q. Shi, Z. Liu, Q. Fang, J. Li, G. Kai, X. Dong, Nankai Univ. (China)

- 6781 12 **Experimental investigation of tunable all-solid photonic bandgap fiber coupler** [6781-33]
G. Ren, P. Shum, J. Hu, X. Yu, Nanyang Technological Univ. (Singapore)
- 6781 13 **Dual-concentric-core all-solid photonic bandgap fiber with large dispersion** [6781-34]
Q. Fang, Z. Wang, L. Jin, G. Kai, X. Dong, Nankai Univ. (China)
- 6781 14 **Hybrid guiding in liquid-crystal photonic crystal fibers** [6781-35]
J. Sun, C. C. Chan, N. Ni, Nanyang Technological Univ. (Singapore)

OPTICAL COMPONENTS I

- 6781 16 **Cost-effective optical waveguide components for printed circuit applications (Invited Paper)** [6781-46]
J. V. DeGroot, Jr., Dow Corning Corp. (USA)
- 6781 17 **Tunable frequency and angular photonic crystal filter** [6781-47]
C. Zheng, H. Tian, C. Li, Y. Ji, Beijing Univ. of Posts and Telecommunications (China)
- 6781 18 **Wavelength division demultiplexing with photonic crystal self-collimation interference** [6781-48]
Y. Wang, Y. Qiu, Fujian Normal Univ. (China); X. Chen, G. Lin, Minjiang Univ. (China); H. Hong, Fujian Normal Univ. (China)

NANO PHOTONIC DEVICES

- 6781 1B **Optical devices based on metal-wire nano-grating (Invited Paper)** [6781-37]
W. Liu, Wuhan National Lab. for Optoelectronics (China) and Accelink Technologies Inc. (China)

PHOTONIC CRYSTAL FIBERS

- 6781 1E **Squeezed elliptical hole photonic crystal fibre for all optical signal processing** [6781-50]
Z. Wang, Y. Wang, C. Song, R. Zhao, Beijing Jiaotong Univ. (China)
- 6781 1F **Design and optimization of a near-elliptic cladding photonic crystal fiber with high extinction ratio stability** [6781-51]
L. Wang, F. Yan, Y. Fu, Y. Li, T. Gong, P. Liu, S. Jian, Beijing Jiaotong Univ. (China)
- 6781 1G **Polarization-stable highly birefringent photonic crystal fiber with near-elliptic inner cladding structure** [6781-52]
Y. Li, F. Yan, L. Wang, T. Gong, P. Liu, Y. Liu, S. Jian, Key Lab. of All Optical Networks and Advanced Telecommunication Networks (China) and Beijing Jiaotong Univ. (China)
- 6781 1H **Design of two mode photonic crystal fiber** [6781-53]
S. Lou, T. Guo, H. Li, H. Fang, L. Yao, L. Wang, S. Jian, Beijing Jiaotong Univ. (China)

- 6781 1J **Full-vectorial analysis of photonic crystal fibers using a compact two-dimensional finite-difference time-domain method** [6781-55]
J. J. Hu, P. Shum, Nanyang Technological Univ. (Singapore); C. Lu, Hong Kong Polytechnic Univ. (Hong Kong China); G. Ren, Nanyang Technological Univ. (Singapore)
- 6781 1K **Full-vector finite element analysis of birefringence properties in rectangle lattice photonic crystal with circular and elliptical holes** [6781-56]
M. Chen, Beijing Univ. of Posts and Telecommunications (China); Y. Liu, Z. Yu, Beijing Univ. of Posts and Telecommunications (China) and Key Lab. of Optical Communication and Lightwave Technologies (China)
- 6781 1L **Ultra-broadband wavelength conversion system by using photonic crystal fiber** [6781-57]
Z. G. Lu, J. R. Liu, National Research Council (Canada); S. Taebi, National Research Council (Canada) and Univ. of Ottawa (Canada); Y. Song, National Research Council (Canada) and Concordia Univ. (Canada); X. P. Zhang, Concordia Univ. (Canada); T. Hall, Univ. of Ottawa (Canada)

OPTICAL DEVICES

- 6781 1M **Liquid crystal devices for photonics applications (Invited Paper)** [6781-58]
V. G. Chigrinov, Hong Kong Univ. of Science and Technology (Hong Kong China)
- 6781 1N **Reliability study in the fabrication and packaging of optical devices (Invited Paper)** [6781-59]
H. P. Chan, M. A. Uddin, City Univ. of Hong Kong (Hong Kong China)

OPTICAL COMPONENTS II

- 6781 1P **Properties analysis for reflection-type filter composed of microring resonator array and MZI** [6781-61]
O. Xu, S. Lu, S. Feng, X. Dong, L. Pei, S. Jian, Beijing Jiaotong Univ. (China)
- 6781 1Q **Design of a bidirectional WDM module for multi-channel transceivers** [6781-62]
J. Zhang, T. G. Lim, J. Li, P. V. Ramana, Institute of Microelectronics (Singapore); V. M. Ramkumar, National Univ. of Singapore (Singapore); H.-S. J. Lau, W. Y. Hnin, D. L. Kwong, Institute of Microelectronics (Singapore)
- 6781 1R **Optical injection-mode-locking of a weak-resonant-cavity Fabry-Perot laser diode based fiber ring** [6781-63]
G.-H. Peng, G.-R. Lin, National Taiwan Univ. (Taiwan China)
- 6781 1S **3x3 coupler based dual microring resonators: a proposal, model, and analysis** [6781-64]
X. Zhang, D. Huang, X. Zhang, Wuhan National Lab. for Optoelectronics (China)
- 6781 1T **Design of optical thin film systems for ultraviolet narrow-band interference filters based on needle optimization technique** [6781-65]
G. Peng, J. Yang, H. Jia, S. Chang, J. Yang, National Univ. of Defense Technology (China)

PMD AND POLARIZATION EFFECTS

- 6781 1U **Low PMD transmission fibers and cables (Invited Paper)** [6781-66]
T. Geisler, OFS Fitel Denmark ApS (Denmark)
- 6781 1W **Comparison between the effects of PDL on the DOP-feedback PMD compensation in RZ and NRZ modulated systems** [6781-68]
L. Zhang, Shandong Univ. (China); P. Song, Jinan Univ. (China); S. Zhao, Shandong Univ. (China); Q. Hu, Accelink Technologies Co., Ltd., Wuhan Research Institute of Posts and Telecommunications (China)
- 6781 1X **Research on voltage-controlled polarization controller in the polarization mode dispersion compensation experiment** [6781-69]
G. Duan, L. Zhang, X. Zhang, B. Yang, Beijing Univ. of Posts and Telecommunications (China)
- 6781 1Z **Spatially and spectrally resolved polarization mode dispersion measurement in optical fibers** [6781-71]
H. Dong, P. Shum, Nanyang Technological Univ. (Singapore)
- 6781 20 **Analysis of generalized principal state of polarization and the piezoelectric polarization control system** [6781-72]
Z. Li, C. Wu, S. S. Yang, C. Y. Tian, M. Cheng, S. Zhao, Beijing Jiaotong Univ. (China)

FIBER LASERS AND AMPLIFIERS

- 6781 21 **Research on noise and quantum conversion efficiency of Yb doped fiber amplifiers** [6781-79]
H. Chen, X. Ma, Y. Han, Y. Zhang, C. Huang, Yangtze Univ. (China)
- 6781 22 **Design considerations for L band erbium-doped hole-assisted lightguide fiber amplifiers** [6781-80]
K. Zheng, J. Li, X. Mao, L. Wang, S. Jian, Beijing Jiaotong Univ. (China)
- 6781 24 **Brillouin-erbium fiber laser with a Sagnac loop filter** [6781-82]
P. H. Wang, X. Liao, Univ. of Electronic Science and Technology of China (China)
- 6781 25 **Realization of coherent polarization locking of two orthogonal-polarization beams in a Mach-Zehnder compound cavity based on the polarization-dependence losses of a polarizer** [6781-85]
F. Liu, X. Jia, Y. Liu, G. Kai, S. Yuan, X. Dong, Nankai Univ. (China)

OPTICAL FIBERS

- 6781 26 **Advances in fibers and transmission line technology for long haul submarine systems (Invited Paper)** [6781-73]
D. W. Peckham, J. Kim, Y. Sun, R. L. Lingle, Jr., OFS (USA); O. Levring, OFS Denmark (Denmark)

- 6781 27 **Correlation between size and distribution of pre- and post-proof test level flaw of draw-abraded fiber** [6781-74]
S. Bhaumik, Sterlite Optical Technologies, Ltd. (India)
- 6781 28 **A novel optical fibre doped with the nano-material as InP** [6781-75]
X. Chen, L. G. Lee, R. Zhang, Beijing Univ. of Posts and Telecommunications (China)
- 6781 29 **Coded optical time domain reflectometry: principle and applications (Invited Paper)**
[6781-76]
N. Park, J. Lee, J. Park, J. G. Shim, Seoul National Univ. (South Korea); H. Yoon, J. H. Kim, KT Corp. (South Korea); K. Kim, J.-O. Byun, Luxpert Technologies Co., Ltd. (South Korea); G. Bolognini, Scuola Superiore Sant'Anna (Italy); D. Lee, Seoul National Univ. (South Korea); F. Di Pasquale, Scuola Superiore Sant'Anna (Italy)
- 6781 2A **Higher order mode-based large negative dispersion in step-index fibers for dispersion compensation** [6781-77]
X. Mao, B. Lv, T. Xia, J. Li, J. Peng, L. Liu, S. Jian, Key Lab. of All Optical Network and Advanced Telcommunication Network of EMC (China) and Beijing Jiaotong Univ. (China)
- 6781 2B **Approach for reducing the excess loss in LWP fiber after D₂ treatment** [6781-78]
X. Qian, Huazhong Univ. of Science and Technology (China) and Yangtze Optical Fibre and Cable Co., Ltd. (China); D. Liu, Huazhong Univ. of Science and Technology (China); R. Wang, Yangtze Optical Fibre and Cable Co., Ltd. (China)

PLANAR WAVEGUIDE DEVICES

- 6781 2C **Finite element study of metal-corner plasmon polariton waveguides** [6781-86]
M. Yan, M. Qiu, Royal Institute of Technology (Sweden)
- 6781 2D **High speed silicon optical switches based on carrier depletion** [6781-87]
Z. Li, J. Yu, S. Chen, Q. Wang, Institute of Semiconductors (China)
- 6781 2F **Research of Mach-Zehnder interferometer in electro-optic integrated accelerometer**
[6781-89]
Y. Zhang, YanShan Univ. (China); J. Wei, Tianjin Navigation Instruments Research Institute (China); C. Chen, B. Wu, Tianjin Univ. (China)
- 6781 2G **A new improved WKB solution of the symmetrical multiple quantum wells planar waveguide** [6781-90]
F. Guo, L. Li, Fujian Normal Univ. (China); M. Wang, Zhejiang Univ. (China)
- 6781 2H **Fabrication of waveguides by inductively coupled plasma etching on LiNbO₃/LiTaO₃ single crystal film by liquid phase epitaxy growth** [6781-91]
Z. Ren, S. Yu, Univ. of Bristol (United Kingdom); J. M. Marshall, D. Walker, P. A. Thomas, Univ. of Warwick (United Kingdom)

FIBER SENSORS II

- 6781 2I **Investigation on optimized launch power in the distributed Brillouin fiber sensor design [6781-92]**
Y. D. Gong, Y. Guo, Institute for InfoComm Research (Singapore); P. Shum, J. Hu, H. Dong, S. N. Fu, M. Tang, X. L. Tian, Q. H. Lam, Nanyang Technological Univ. (Singapore); J. Z. Hao, O. L. C. Michael, J. H. Ng, V. Paulose, Institute for InfoComm Research (Singapore)
- 6781 2J **A multi-point temperature warning sensor system with different thresholds using a multi-channel reference FBG [6781-93]**
X. Li, Nanyang Technological Univ. (Singapore); Q. Sun, Huazhong Univ. of Science and Technology (China); P. Shum, N. Q. Nam, T. Cheng, Nanyang Technological Univ. (Singapore); D. Liu, Huazhong Univ. of Science and Technology (China)
- 6781 2K **Chirped fiber Bragg grating sensor based on phase delay [6781-94]**
Q. Sun, D. Liu, H. Liu, Huazhong Univ. of Science and Technology (China); L. Xia, P. Shum, Nanyang Technological Univ. (Singapore)
- 6781 2L **Demodulation system of fiber grating sensors based on phase-lock and cross phase modulation [6781-95]**
J. Zhang, Beijing Univ. of Posts and Telecommunications (China) and Henan Univ. (China); C. Yu, K. Wang, M. Lin, J. Zeng, Beijing Univ. of Posts and Telecommunications (China)
- 6781 2M **A novel interrogation technique for time-division multiplexing fiber Bragg grating sensor arrays [6781-96]**
S. Liu, Heilongjiang Univ. (China); Y. Yu, Heilongjiang Univ. (China) and Heifei Univ. of Technology and Engineering (China); J. Zhang, S. Fei, Heilongjiang Univ. (China)

Part Two

SLOW LIGHT AND OPTICAL DELAY LINES

- 6781 2O **Numerical study of all-optical delay line based on wavelength conversion in SOA and dispersion in DCF [6781-115]**
Z. Hu, J. Sun, J. Wang, J. Xu, Wuhan National Lab. for Optoelectronics (China)
- 6781 2P **Topology-optimized and dispersion-tailored photonic crystal slow-light devices (Invited Paper) [6781-116]**
L. H. Frandsen, A. Lavrinenko, P. I. Borel, J. Fage-Pedersen, A. Harpøth, O. Sigmund, J. S. Jensen, Technical Univ. of Denmark (Denmark); M. Kristensen, A. Tétu, Univ. of Aarhus (Denmark); T. Niemi, Tampere Univ. of Technology (Finland)
- 6781 2Q **Evaluation of dispersive Bragg gratings (BG) structures for the processing of RF signals with large time delays and bandwidths [6781-117]**
M. Kaba, Thales Technology Ctr. Singapore (Singapore) and Thales@NTU (Singapore); F. C. Zhou, A. Lim, Thales@NTU (Singapore); D. Decoster, Institute Electronic, Microelectronic, Nanotechnology (France); J.-P. Huignard, S. Tonda, D. Dolfi, Thales Research and Technology (France); J. Chazelas, Thales@NTU (Singapore) and Thales Airborne Systems (France)

MULTIPLE WAVELENGTH LASERS

- 6781 2S **Study the application of polarization scrambler in the multi-wavelength fiber laser** [6781-98]
T. Li, M. Wang, S. Jian, X. Liu, H. Bi, Beijing Jiaotong Univ. (China)
- 6781 2T **Research on pump depletion of optical parametric amplification in photonic crystal fibers** [6781-99]
R. Zhang, X. Zhang, X. Ren, Y. Huang, Beijing Univ. of Posts and Telecommunications (China)
- 6781 2U **Multiwavelength erbium-doped fiber lasers with tilted Bragg gratings in single mode fibers** [6781-100]
L. Jin, B. Liu, L. Xu, J. Zhang, Y. Liu, G. Kai, S. Yuan, X. Dong, Nankai Univ. (China)
- 6781 2V **Wavelength dynamics in passive mode-locked fiber laser by using nonlinear polarization rotation technique** [6781-101]
H. Xu, H. Zhang, X. Fu, D. Lei, S. Wen, Hunan Univ. (China)
- 6781 2W **Switchable multiwavelength erbium-doped fiber laser incorporating a sampled fiber Bragg grating written in polarization-maintaining fiber** [6781-102]
Z. Liu, Y. Liu, J. Du, S. Yuan, X. Dong, Nankai Univ. (China)
- 6781 2X **High erbium-doped ASE source using optical circulator and fiber loop mirror based on the double-pass double-stage configuration** [6781-103]
X. Lee, S. Wan, H. Shen, Nanchang Institute of Aeronautical Technology (China)

FIBER DEVICES

- 6781 2Y **A novel all-fiber magneto-optic switch based on high-speed magnetic field module** [6781-118]
M. Wang, Z. Weng, X. Chen, S. Lin, Xiamen Univ. (China); Q. Wu, Changzhou College of Information Technology (China)
- 6781 2Z **The influence of extinction ratio of input signal on copied signal in fiber ring cavity** [6781-119]
Y. Wang, C. Wu, Z. Wang, Y. Zhao, Beijing Jiaotong Univ. (China)
- 6781 30 **Advanced topics on fusion splicing of specialty fibers and devices (Invited Paper)** [6781-120]
B. S. Wang, E. W. Mies, Vytran LLC (USA)
- 6781 31 **Theoretical analysis of feedback high birefringence fiber loop mirror with dramatically enhanced free spectral range** [6781-121]
G. Sun, D. S. Moon, Y. Chung, Gwangju Institute of Science and Technology (South Korea)
- 6781 32 **All-optical switching based on cross-phase modulation using Bragg grating in the highly nonlinear photonic crystal fiber** [6781-122]
Y. Liu, X. Sang, J. Zhang, C. Yu, D. Hsu, X. Xin, L. Wei, Beijing Univ. of Posts and Telecommunications (China)

- 6781 33 **Optimal design of tapered multimode interference couplers based on a genetic algorithm** [6781-123]
H. Wu, W. Mo, Wuhan National Lab. for Optoelectronics (China); Z. Zhou, Wuhan National Lab. for Optoelectronics (China) and Georgia Institute of Technology (USA)

MODULATION AND PULSE RESHAPING

- 6781 34 **Directly-modulated lasers for high speed optical transmission (Invited Paper)** [6781-104]
M. Du, OFS Labs. (USA); L. Grüner-Nielsen, OFS Fitel Denmark (Denmark)
- 6781 35 **Acousto-optic programmable ultrashort optical pulse shape modulator** [6781-105]
T. Liao, Nankai Univ. (China) and Anhui Univ. (China); Q. Zhao, D. Bo, Nankai Univ. (China); S. Li, Nankai Univ. (China) and Tianjin Polytechnic Univ. (China)
- 6781 36 **Design and fabrication of acousto-optic waveguide phase modulator in electro-optic integrated accelerometer** [6781-106]
Y. Zhang, Yanshan Univ. (China); J. Wei, Tianjin Navigation Instruments Research Institute (China); H. Wang, Yanshan Univ (China); C. Chen, Tianjin Univ. (China)
- 6781 37 **Automatic short-pulse reshaping for high-speed optical communication systems (Invited Paper)** [6781-107]
Y. Tanaka, T. Kurokawa, Tokyo Univ. of Agriculture and Technology (Japan)

SHORT PULSE LASERS

- 6781 38 **The self similar pulse formation study of mode-locked fibre lasers** [6781-108]
C. Tu, T. Lei, W. Guo, D. Wei, H. Zhu, S. Zhang, Y. Li, F. Lu, Nankai Univ. (China)
- 6781 39 **Effects of coherence on the ultrashort solitons in passively mode-locked fiber laser** [6781-109]
D. Lei, Hunan Univ. (China) and Xiangnan Univ. (China); H. Xu, S. Wen, X. Fu, Hunan Univ. (China); H. Dong, M. Yao, Xiangnan Univ. (China)
- 6781 3B **Analytical research on pulse compression by using nonlinear optical loop mirror based on crystal fiber** [6781-111]
S. Li, A. Yang, J. Cui, Y. Sun, Beijing Institute of Technology (China)
- 6781 3C **Study of the self similar evolution and succedent compression of ultra-short pulses with different initial width and chirp** [6781-112]
C. Tu, T. Lei, W. Guo, H. Zhu, D. Wei, Y. Li, F. Lu, Nankai Univ. (China)
- 6781 3D **Mathematical series for analysis of detuned active mode locked lasers** [6781-113]
H. Q. Lam, Nanyang Technological Univ. (Singapore) and Institute for Infocomm Research (Singapore); P. Shum, Nanyang Technological Univ. (Singapore); L. N. Binh, Monash Univ. (Australia); Y. D. Gong, Institute for Infocomm Research (Singapore); S. Fu, Nanyang Technological Univ. (Singapore)

POSTER SESSION

- 6781 3E **Complex modes in negative-refractive-index fibers** [6781-125]
M. Cheng, Y. Zhou, Y. Li, X. Chen, X. Li, Minjiang Univ. (China)
- 6781 3F **All-optical microwave photonic filters with Hi-Bi linearly chirped grating** [6781-126]
Y. Gong, Y. Guo, O. L. C. Michael, Institute for InfoComm Research (Singapore); G. X. Ning, J. Hu, P. Shum, H. Dong, M. Tang, S. N. Fu, G. B. Ren, H. Q. Lam, Nanyang Technological Univ. (Singapore); V. Paulose, Institute for InfoComm Research (Singapore)
- 6781 3H **A novel fibre Bragg grating hydrophone system** [6781-128]
Y. Wang, W. Ren, Z. Tan, Y. Liu, S. Jian, T. Gong, Beijing Jiaotong Univ. (China)
- 6781 3I **Analysis of transmission characteristics of PFBG based on FEM with 1st-order transparent boundary conditions** [6781-129]
Y. Wang, Y. Wei, Y. Liu, Z. Tan, S. Jian, T. Gong, Beijing Jiaotong Univ. (China)
- 6781 3J **The optimization of solar blind UV high reflectance coatings** [6781-130]
H. Zhang, H. Jia, J. Yang, S. Chang, H. Ying, National Univ. of Defense Technology (China)
- 6781 3M **A novel method of edge filter demodulation by using temperature-independence HBF Sagnac LM** [6781-133]
Y. Huang, H. Chen, Nanjing Univ. of Posts and Telecommunications (China)
- 6781 3N **Application of GeO₂-doped silica waveguides in optical modulator** [6781-134]
J. Li, J. Li, China Jiliang Univ. (China)
- 6781 3O **Novel optic switch based on silicon/kaolinite photonic crystal line-defect waveguides** [6781-135]
J. Li, J. Li, China Jiliang Univ. (China)
- 6781 3Q **Multiple polarization states of vector soliton in fiber laser** [6781-137]
W. Chen, Foshan Univ. (China) and South China Normal Univ. (China); W. Xu, South China Normal Univ. (China); H. Cao, D. Han, Foshan Univ. (China)
- 6781 3R **Energy transmission and distribution of guided modes in parallel-plate waveguide coupler** [6781-138]
J. Liu, Hunan Institute of Science and Technology (China) and Wuhan National Lab. for Optoelectronics (China); J. Sun, Wuhan National Lab. for Optoelectronics (China); C. Huang, W. Hu, Hunan Institute of Science and Technology (China)
- 6781 3S **Improvement on delay characteristics of cascaded chirped FBGs** [6781-139]
S. Lu, O. Xu, X. Dong, B. Li, S. Jian, Beijing Jiaotong Univ. (China)
- 6781 3U **Design of broadband dispersion compensating fiber with the small core photonic crystal fiber** [6781-141]
M. Wu, Wuhan National Lab. for Optoelectronics (China) and Huazhong Univ. of Science and Technology (China); H. Liu, Huazhong Univ. of Science and Technology (China); D. Huang, Wuhan National Lab. for Optoelectronics (China); W. Tong, H. Wei, Yangtze Optic Fiber and Cable Co. Ltd. (China)

- 6781 3V **Investigation on the mode and noise of short cavity Er/Yb fiber laser** [6781-142]
Y. Guo, T. Wang, B. Bai, J. Huo, P. Li, H. Yan, Jilin Univ. (China)
- 6781 3W **Investigation on characteristics of fiber Bragg gratings formed in photonic crystal fibers** [6781-143]
S.-L. Hou, Beijing Univ. of Posts and Telecommunications (China) and Lanzhou Univ. of Technology (China); X.-M. Ren, X. Zhang, Y.-Q. Huang, Beijing Univ. of Posts and Telecommunications (China)
- 6781 3X **Analytical prediction of dispersion characteristics for slab waveguides composed with left handed materials** [6781-144]
H. W. Zi, Y. X. Zhong, Shanghai Univ. (China)
- 6781 3Y **A novel DOP-feedback PDL measurement method** [6781-145]
L. Zhang, S. Zhao, Shandong Univ. (China); P. Song, Jinan Univ. (China); Q. Hu, S. Jiang, Wuhan Research Institute of Posts and Telecommunications (China)
- 6781 3Z **A novel distributed sensor using long-distance Mach-Zehnder interferometer** [6781-146]
C. Zhan, Y. Zhan, J. Wang, Jiangxi Science and Technology Normal Univ. (China); Q. Sun, J. Yuan, Huazhong Univ. of Science and Technology (China)
- 6781 40 **Study on the time delay error for 160 Gbit/s multiplexer** [6781-147]
T. Li, Beijing Jiaotong Univ. (China); L. Cai, Beijing Univ. of Posts and Telecommunications (China); M. Wang, S. Jian, X. Liu, H. Bi, Beijing Jiaotong Univ. (China)
- 6781 44 **Research of FBG multiplexing/demodulation on LPG** [6781-151]
W. Zhang, Tianjin Univ. of Technology (China) and Nankai Univ. (China); Z. Tong, Tianjin Univ. of Technology (China); B. Liu, J. Luo, X. Dong, Nankai Univ. (China)
- 6781 45 **Q-switched Er/Yb co-doped cladding pumped fiber laser** [6781-152]
C. Zhao, Changchun Institute of Optics, Fine Mechanics and Physics (China) and Graduate School of the Chinese Academy of Sciences (China); J. Wang, Changchun Institute of Optics, Fine Mechanics and Physics (China), Graduate School of the Chinese Academy of Sciences (China), and Wuhan Ordnance Non-Commissioned Officers Academy (China); Y. Liu, Changchun Institute of Optics, Fine Mechanics and Physics (China), Graduate School of the Chinese Academy of Sciences (China), and Changchun Univ. of Science and Technology (China); L. Wang, Changchun Institute of Optics, Fine Mechanics and Physics (China)
- 6781 47 **A novel 3D strain FBG sensor based on cylinder structure** [6781-154]
J. Luo, B. Liu, Y. Lan, S. Yuan, G. Kai, X. Dong, Nankai Univ. (China)
- 6781 48 **A novel high-birefringence fiber loop mirror electric current sensor** [6781-155]
D. Bo, Q. Zhao, L. T. Liao, S. Li, X. Zeng, Y. Miao, G. Huang, Nankai Univ. (China)
- 6781 49 **Broadband directional coupler based on dual core PCF** [6781-156]
R. Zhu, A. Luo, W. Xu, X. Wang, South China Normal Univ. (China)

- 6781 4C **A modified stacking method to fabricate photonic crystal fibers with squeezed lattice** [6781-159]
 P. Song, Univ. of Jinan (China); L. Zhang, Shandong Univ. (China); Q. Hu, S. Jiang, Accelink Technologies (China); S. Zhao, Shandong Univ. (China); S. Liu, Accelink Technologies (China)
- 6781 4D **Distributed fiber-optic sensor with a ring Mach-Zehnder interferometer** [6781-160]
 Q. Sun, D. Liu, H. Liu, Huazhong Univ. of Science and Technology (China); P. Shum, Nanyang Technological Univ. (Singapore)
- 6781 4E **Bandgap and mode area analysis of all-solid square-lattice photonic bandgap fibers** [6781-161]
 Q. Shi, Z. Wang, G. Kai, L. Jin, Y. Liu, F. Lv, X. Dong, Nankai Univ. (China)
- 6781 4F **Investigation on gain-clamped characteristics of ring cavity L-band EDFA** [6781-162]
 H. Yan, Y. Guo, B. Bai, T. Wang, J. Huo, Jilin Univ. (China)
- 6781 4G **A novel embedded metal-wire nanograting used as polarizing beam splitter in optical telecommunication** [6781-163]
 C. Hu, Huazhong Univ. of Science and Technology (China) and Wuhan Univ. of Technology (China); D. Liu, Huazhong Univ. of Science and Technology (China)
- 6781 4I **Comparison of the properties among photonic crystal fibers with different elliptical inner cladding configuration** [6781-165]
 T. Gong, F. Yan, L. Wang, Y. Li, P. Liu, Y. Liu, Y. Wang, S. Jian, Key Lab. of All Optical Networks and Advanced Communication Networks (China) and Beijing Jiaotong Univ. (China)
- 6781 4J **Theoretic analysis of mode-couple equation in all-fiber polarization transformer** [6781-166]
 Z.-D. Shi, M.-N. Ji, Shanghai Univ. (China); J.-Q. Lin, Guangxi Institute of Technology (China); S. Liu, Shanghai Univ. (China)
- 6781 4K **Optical fiber sensor designed for generator checking online** [6781-167]
 X. Guo, Y. Chen, J. Huang, J. Luo, S. Qiu, Z. Zhang, Chongqing Univ. of Posts and Telecommunications (China)
- 6781 4L **All fiber polarization transformer of holey birefringence fiber** [6781-168]
 Z.-D. Shi, M.-N. Ji, Shanghai Univ. (China); J.-Q. Lin, Guangxi Institute of Technology (China); S. Liu, Shanghai Univ. (China)
- 6781 4M **A novel scheme for generation of 40Gb/s RZ/CSRZ-DPSK signals** [6781-169]
 J. He, Z. Zheng, L. Chen, S. Wen, Hunan Univ. (China)
- 6781 4N **Analysis of the error of chromatic dispersion when using approximation of material dispersion plus waveguide dispersion in photonic crystal fibers** [6781-170]
 D. Zhang, Q. Sheng, X. Dong, Nankai Univ. (China)

- 6781 4O **Low loss splicing method to join silica and fluoride fibers** [6781-171]
L. Pei, X. Dong, R. Zhao, C. Qi, Key Lab. of All Optical Network and Advanced Telecommunication Network (China) and Beijing Jiaotong Univ. (China); R. Caspary, M. S. Kien, Technical Univ. at Braunschweig (Germany); S. Jian, Key Lab. of All Optical Network and Advanced Telecommunication Network (China) and Beijing Jiaotong Univ. (China)
- 6781 4P **Technology of 0–20 ton FBG loadcell** [6781-172]
W. Li, F. Zhu, B. Jiang, Wuhan Univ. of Technology (China)
- 6781 4Q **Study on polarization-maintaining photonics crystal fiber laser** [6781-173]
X. Hu, T. Ning, C. Qi, J. Zheng, J. Li, Beijing Jiaotong Univ. (China)
- 6781 4R **Optical fiber Raman temperature sensor with a backscattering nonlinear mirror** [6781-174]
L. Zhang, Y. Liu, Y. Liu, Univ. of Electronic Science and Technology of China (China)
- 6781 4S **Performance analysis on high bandwidth stimulated Brillouin scattering slow light in optical fiber with single source** [6781-175]
J. Zhang, M. Wang, Y. Fu, J. Cao, X. Qin, S. Jian, Beijing Jiaotong Univ. (China)
- 6781 4T **Analytical solutions for stress compensated athermal arrayed waveguide gratings**
[6781-176]
H. Huang, W. Liu, D. Huang, K. Yu, Wuhan National Lab. for Optoelectronics (China)
- 6781 4U **10Gbit/s optical pulse wavelength conversion based on nonlinear optical loop mirror**
[6781-177]
J. Cui, X. Zhao, L. Feng, F. Cui, Y. Sun, Beijing Institute of Technology (China)
- 6781 4V **Optical interleavers based on nested prism pairs structure** [6781-178]
J. Zhang, Shanghai Univ. (China)
- 6781 4W **The temporal coherence of chaotic laser** [6781-179]
N. Fang, L. Wang, F. Luo, Z. Huang, Shanghai Univ. (China)
- 6781 4X **Enlargement of omnidirectional reflection range in one-dimensional staggered photonic crystals containing negative refraction medium** [6781-181]
M. Cheng, Y. Zhou, Q. Huang, Y. Li, X. Chen, X. Li, Minjiang Univ. (China)
- 6781 4Y **Investigation of thermal effects in longitudinally diode-pumped Tm,Ho:YLF lasers** [6781-182]
X. Zhang, L. Li, J. Cui, P. Chen, Harbin Engineering Univ. (China)
- 6781 4Z **Intrinsic optical bistability in Tm-doped laser crystal pumped at 648nm avalanche wavelength** [6781-183]
L. Li, Harbin Engineering Univ. (China) and Harbin Institute of Technology (China); X. Zhang, Harbin Engineering Univ. (China); L. Chen, Harbin Institute of Technology (China)
- 6781 50 **Mode evolutions in 2×2 microring resonator arrays** [6781-184]
X. Zhang, D. Huang, X. Zhang, Wuhan National Lab. for Optoelectronics (China)
- 6781 51 **Property of electromagnetic solitons in negative-index metamaterials** [6781-185]
X. Cheng, X. Dai, W. Su, W. Zhou, L. Jiang, S. Wen, Hunan Univ. (China)

- 6781 52 **Highly efficient photonic crystal-based multi-channel drop filters** [6781-186]
H. Wang, F. Kong, K. Li, L. Mei, Shandong Univ. (China)
- 6781 53 **Study of spatial soliton propagation in lossy optical lattice** [6781-187]
H. Zhuo, Y. Hu, S. Wen, Hunan Univ. (China)
- 6781 55 **Recirculating configuration all-optical wavelength conversion by self-phase modulation in a highly nonlinear photonic crystal fiber** [6781-189]
H. Yan, Y. Huang, Z. Weng, Z. Wu, Y. Wang, J. Wan, R. Ye, Xiamen Univ. (China)
- 6781 56 **Study on Rayleigh scattering of photonic crystal fiber** [6781-190]
J. Li, J. Li, China Jiliang Univ. (China)
- 6781 57 **Design of ultrasonic measure system based on fiber interferometer** [6781-191]
Z. Wang, Huazhong Univ. of Science and Technology (China) and Wuhan Institute of Technology (China); X. Feng, Wuhan Institute of Technology (China)
- 6781 58 **Variable optical attenuator based on a bent polymer/SiON waveguide** [6781-192]
J. Li, J. Li, China Jiliang Univ. (China)
- 6781 5B **The dynamics of frequency upconversion in Er³⁺-doped PLZT transparent ceramic**
[6781-195]
X. Li, Z. Zheng, Z. Feng, J. Liu, C. Jiang, L. Kong, Fujian Normal Univ. (China); H. Ming, Univ. of Science and Technology of China (China)
- 6781 5C **Significant emission enhancement of erbium-doped silica by using the double metallic grating** [6781-196]
Y. Wang, Wuhan National Lab. for Optoelectronics (China); Z. Zhou, Wuhan National Lab. for Optoelectronics (China) and Georgia Institute of Technology (USA)

Author Index

Conference Committee

Symposium Chairs

Chung-En Zah, Corning Inc. (USA)
Chaohui Ye, Wuhan National Lab. for Optoelectronics (China)
Bingkun Zhou, Tsinghua University (China)
Yun C. Chung, Korea Advanced Institute of Science and Technology
(South Korea)

Conference Chairs

Ming-Jun Li, Corning Inc. (USA)
Jianping Chen, Shanghai Jiao Tong University (China)
Satoki Kawanishi, Nippon Telegraph and Telephone Corporation
(Japan)
Ian H. White, University of Cambridge (United Kingdom)

Program Committee

Roel G. Baets, Universiteit Gent (Belgium)
Alberto Bononi, Università degli Studi di Parma (Italy)
Xiang-Fei Chen, Nanjing University (China)
Yuh-Jen Chen, Academia Sinica (Taiwan)
Kin Seng Chiang, City University of Hong Kong (Hong Kong China)
Benjamin J. Eggleton, The University of Sydney (Australia)
John M. Fini, OFS Fitel, LLC (USA)
Helmut Heidrich, Fraunhofer-Institut für Nachrichtentechnik Heinrich-Hertz-Institut (Germany)
Zhengyu Huang, RSoft Design Group, Inc. (USA)
Jørn M. Hvam, Danmarks Tekniske Universitet (Denmark)
Xiaofeng Jin, Zhejiang University (China)
Donghan Lee, Chungnam National University (South Korea)
David P. Machewirth, Nufern (USA)
Ivo Montrosset, Politecnico di Torino (Italy)
Kyunghwan Oh, Yonsei University (South Korea)
Namkyoo Park, Seoul National University (South Korea)
Rong-Hui Qu, Shanghai Institute of Optics and Fine Mechanics, CAS
(China) and Chongqing University (China)
Stojan Radic, University of California, San Diego (USA)
Yun-Jiang Rao, University of Electronic Science and Technology of
China (China)
Ken Sakuma, Fujikura Ltd. (Japan)
Akihiko Shinya, NTT Basic Research Laboratories (Japan)

Ping Shum, Nanyang Technological University (Singapore)
Hiroyuki Tsuda, Keio University (Japan)
Jia Ying Wang, ZTE Corporation (China)

Session Chairs

Nonlinear Optical Devices

John M. Fini, OFS Fitel, LLC (USA)

Fiber Sensors I

Yun-Jiang Rao, University of Electronic Science and Technology of China (China) and Chongqing University (China)

High Power Fiber Lasers

Benjamin J. Eggleton, The University of Sydney (Australia)

John M. Fini, OFS Fitel, LLC (USA)

Fiber and Waveguide Gratings

Xiaofeng Jin, Zhejiang University (China)

Best Student Paper Session

Adrian Carter, Nufern (USA)

Raman Amplifiers

John V. DeGroot, Jr., Dow Corning Corporation (USA)

Microstructured Fibers

John M. Fini, OFS Fitel, LLC (USA)

Optical Components I

Hau P. Chan, City University of Hong Kong (Hong Kong China)

Nano Photonic Devices

Tanya M. Monro, The University of Adelaide (Australia)

Photonic Crystal Fibers

David W. Peckham, OFS Fitel, LLC (USA)

Optical Devices

Shenping Li, Corning Inc. (USA)

Optical Components II

Yosuke Tanaka, Tokyo University of Agriculture and Technology (Japan)

PMD and Polarization Effects

Mei Du, OFS Fitel, LLC (USA)

Fiber Lasers and Amplifiers
Anping Liu, Corning Inc. (USA)

Optical Fibers
Xiang-Fei Chen, Nanjing University (China)

Planar Waveguide Devices
Sheng-Lung Huang, National Taiwan University (Taiwan China)

Fiber Sensors II
Xingde Li, University of Washington (USA)

Slow Light and Optical Delay Lines
Baishi Wang, Vytran LLC (USA)

Multiple Wavelength Lasers
Lars H. Frandsen, Danmarks Tekniske Universitet (Denmark)

Fiber Devices
Yosuke Tanaka, Tokyo University of Agriculture and Technology
(Japan)

Modulation and Pulse Reshaping
Baishi Wang, Vytran LLC (USA)

Short Pulse Lasers
Ping Shum, Nanyang Technological University (Singapore)

